

PLUMMER BLOCK ,BALL BEARING

| SI | Items Description | Unit | Qty |
|-------------------------------------|--|------|-----|
| 1 | BEARING, SKF MODEL: UC 204 | Ea | 30 |
| | Item Specifications: BEARING, | | |
| | STYLE: PLUMMER BLOCK | | |
| | SIZE: 20 MM | | |
| | SERIES: UC 204 | | |
| | TYPE: BALL BEARING | | |
| | MATERIAL: BEARING STEEL | | |
| | DESCRIPTION: | | |
| | PLUMMER/PILLOW BLOCK BALL BEARING, UC 204, CYLIDRICAL BORE | | |
| | MATERIAL: BEARING STEEL | | |
| | OUT SIDE DIA: 47 MM | | |
| | BORE SIZE: 20 MM | | |
| | OUT SIDE RING WIDTH: 16 MM | | |
| | INSIDE RING WIDTH: 31 MM | | |
| | CENTRE TO BEARING END: 12 MM | | |
| | SET SCREW SIZE: 1/4 INCH | | |
| | NO SCREWS: 2 NOS. | | |
| ANGLE BETWEEN SCREWS -- 120 DEGREES | | | |
| 2 | BEARING, SKF MODEL: UC 205 | Ea | 30 |
| | Item Specifications: BEARING, | | |
| | STYLE: PLUMMER BLOCK | | |
| | TYPE: BALL BEARING | | |
| | SIZE: 25 MM | | |
| | MATERIAL: BALL BEARING UC 205 | | |
| | DESCRIPTION: | | |
| | PLUMMER / PILLOW BLOCK BALL BEARING , UC 205 | | |
| | MATERIAL: BEARING STEEL | | |
| | OUT SIDE DIA: 52 MM | | |
| | BORE SIZE: 25 MM | | |
| | OUT SIDE RING WIDTH: 17 MM | | |
| | INSIDE RING WIDTH: 34.1 MM | | |
| | CENTRE TO BEARING END: 14.3 MM | | |
| | SET SCREW SIZE: M6X0.75 | | |
| | NO SCREWS: 2 NOS. | | |
| | ANGLE BETWEEN SCREWS: 120 DEGREES | | |
| 3 | BEARING SKF MODEL: UC 206 | Ea | 30 |
| | Item Specifications: BEARING, | | |
| | SIZE: 30 MM | | |
| | STYLE: -- | | |
| | SERIES: UC 206 | | |

| | | | |
|----|---|-------------|------------|
| | MATERIAL: BEARING UC 206, TYPE: PLUMMER BLOCK | | |
| | DESCRIPTION: PLUMMER/PILLOW BLOCK BALL BEARING , UC 206, BORE CYLINDRICAL | | |
| | MATERIAL: BEARING STEEL | | |
| | OUT SIDE DIA: 62 MM | | |
| | BORE SIZE: 30 MM | | |
| | IN SIDE RING WIDTH: 38.1 MM | | |
| | OUT SIDE RING WIDTH: 19 MM | | |
| | INSIDE RING WIDTH: 31 MM | | |
| | CENTRE TO BEARING END: 15.9 MM | | |
| | SET SCREW SIZE: M6 0.75 | | |
| | NO SCREWS: 2 NOS. | | |
| | ANGLE BETWEEN SCREWS -- 120 DEGREES | | |
| 4 | BEARING SKF MODEL: UC 207 Item Specifications: BEARING, MATERIAL: BEARING ,BALL SIZE: 35 MM BORE SERIES: UC 207 TYPE: PLUMMER BLOCK | Ea | 30 |
| | DESCRIPTION: PLUMMER / PILLOW BLOCKBALL BEARING ,UC 207, CYLINDRICAL BORE | | |
| | MATERIAL: BEARING STEEL | | |
| | OUT SIDE DIA: 72 MM | | |
| | BORE SIZE: 35 MM | | |
| | WIDTH: 31 MM | | |
| | OUT SIDE RING WIDTH:20 MM | | |
| | INSIDE RING WIDTH: 42.9 MM | | |
| | CENTRE TO BEARING END: 17.5 MM | | |
| | SET SCREW SIZE: M8X 1 | | |
| | NO SCREWS: 2 NOS. | | |
| | ANGLE BETWEEN SCREWS: 120 DEGREES | | |
| SI | Items Description | Unit | Qty |
| 1 | ROLLER BEARING, TAPER CONE AND CUP, LIGHT, SINGLE ROW, 30MM, 55MM, 17MM SKF / FAG / NTN / NSK # 32006 | Ea | 1 |
| 2 | ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 85MM, 150MM, 28MM SKF / FAG # NU217 ECP/C3 | Ea | 1 |
| 3 | BALL BEARING, STEEL, SKF / FAG # 6209 Z C3 | Ea | 2 |
| 4 | BALL BEARING, STEEL, SKF / FAG # 64004 ZZ | Ea | 2 |
| 5 | ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 75MM, 130MM, 25MM, SKF / FAG # NU215 ECJ | Ea | 1 |
| 6 | BALL BEARING, SKF / FAG # 6215 ZZ C4 GXN, STEEL | Ea | 1 |

| | | | |
|----|--|----|----|
| 7 | BALL BEARING, STEEL, SKF / FAG # 6215 X C3 | Ea | 2 |
| 8 | BALL BEARING, STEEL, SKF / FAG # 6007 ZZ C3 | Ea | 2 |
| 9 | BALL BEARING, STEEL, SKF / FAG # 6209 ZZ C3 | Ea | 2 |
| 10 | BALL BEARING, ANGULAR CONTACT, LIGHT, DOUBLE ROW, 60MM, 110MM, 36.51MM, | Ea | 3 |
| | SKF / FAG # 3212 C3 | | |
| 11 | BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 70MM, 150MM, 35MM | Ea | 2 |
| | SKF / FAG # 6314, | | |
| 12 | BALL BEARING, DEEP GROVE, NDE, SKF / FAG # 6309/C3 | Ea | 8 |
| 13 | ROLLER BEARING, CYLINDRICAL, SINGLE ROW, 65MM, 140MM, 33MM, SKF / FAG/NSK # NU313 | Ea | 6 |
| 14 | BALL BEARING, DEEP GROVE, OPEN TYPE, SINGLE ROW, 90MM, 140MM 24MM | Ea | 6 |
| | SKF / FAG # 6018-ZZC3 | | |
| 15 | ROLLER BEARING, CYLINDRICAL ROLLER WITH CASE, BRASS, SINGLE ROW, 200MM, 130MM, 33MM | Ea | 6 |
| | SKF / FAG # NU1026-M1-C3 | | |
| 16 | BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 105MM, 225MM, 49MM | Ea | 3 |
| | SKF / FAG # 6321 C3 | | |
| 17 | BALL BEARING, ANGULAR CONTACT, SINGLE ROW, CARBON STEEL, ANGULAR CONTACT BALL, 100MM, 215MM, 47MM, SKF / FAG #7320 BECBM | Ea | 2 |
| 18 | BALL BEARING, DEEP GROVE, OPEN TYPE, SINGLE ROW, 50MM, 110MM, 27MM | Ea | 5 |
| | SKF / FAG # 6310-M C3 | | |
| 19 | BALL BEARING, DEEP GROVE, STEEL, 65MM, 120, 23MM | Ea | 18 |
| | SKF / FAG # 6213 ZZ C3 | | |
| 20 | BALL BEARING, DEEP GROVE, CARBON STEEL, SINGLE ROW, 200MM, 130MM, 33MM | Ea | 4 |
| | SKF / FAG # 6026-C3 | | |
| | FOR HIGH SPEED MOTOR | | |
| 21 | BEARING BALL, DEEP GROVE, SINGLE ROW, 25MM, 52MM, 15MM, STEEL CASE, SKF/FAG# 6205 ZZ C3 | Ea | 12 |
| 22 | BALL BEARING, DEEP GROVE, STEEL CASE, 65MM, 120MM, 23,, | Ea | 20 |
| | SKF/FAG #6213 ZZC3 | | |
| 23 | BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 75MM, 160M, 37MM, | Ea | 13 |
| | METRIC SIZE DIMENSION TO BS 292-1969-TABLE 13, IBI NO. 14598, | | |
| | SKF / NTN MODEL: ?? | | |
| 24 | BALL BEARING, DEEP GROVE, MEDIUM, SINGLE ROW, 45MM, 100MM, 25MM, | Ea | 27 |
| | METRIC SIZE DIMENSION TO BS 292-1969-TABLE 13 | | |
| | SKF MODEL: 6309 ZZ C3 | | |
| 25 | BALL BEARING DEEP GROVE, BEARING FOR MOTOR AT BS 131 | Ea | 6 |
| | SKF MODEL: 6216-C3 | | |
| 26 | BALL BEARING, DEEP GROVE, LIGHT, SINGLE ROW, 85, 150MM, 28MM, | Ea | 7 |
| | MATERIAL CASE: PRESSED STEEL, HIGH SPEED TYPE 000 FIT | | |

| | | | |
|----|---|-------------|------------|
| | METRIC SIZE DIMENSION TO BS 292-1969 TABLE 12, SERIES: BRL | | |
| | SKF MODEL: 6213 C3 | | |
| 27 | BALL BEARING, DUPLEX, SINGLE ROW, (TANDEM BACK TO BACK OR FACE TO FACE MOUNTING) 65MM, 140MM X 66MM, FAG/SKF # 7313BG, NO PLASTIC CASE, 1 PAIR = 2 NOS. | Pair | 5 |
| 28 | BEARING ROLLER, CYLINDRICAL, RIGID RADIAL, MEDIUM, SINGLE ROW, 130MM, 60MM, 31MM WITH TWO LIPE ON OUTER RACE AND STRAIGHT INNER RACE METRIC SIZE ISO DIMENSION SERIES 03, FAG/SKF MODEL: NU312EM1 | Ea | 4 |
| SI | Items Description | Unit | Qty |
| 1 | BALL BEARING, SIZE - LJT 2 1/2 (INCHES) MANUFACTURER NAME: SKF Part # LJT - 2 1/2 INCH Item Specifications: BEARING, SIZE: 2.5 inches TYPE: BALL BEARINGS, SERIES: LJT DESCRIPTION: BALL BEARING, SIZE - LJT 2 1/2 (INCHES) MAKE: SKF/FAG /NSK OR EQUIVALENT | Ea | 4 |
| 2 | CYCLINDRICAL ROLLER BEARING - LRJ-2 1/2 INCHES MANUFACTURER NAME: Part # LRJ - 2 1/2 INCHES Item Specifications: BEARING, TYPE: CYCLINDRICAL ROLLER BEARING SERIES: LRJ,, SIZE: 2 1/2 INCHES DESCRIPTION: CYCLINDRICAL ROLLER BEARING, LRJ-2 1/2 INCHES | Ea | 2 |
| 3 | BEARING: 5206-ZZ-C3 MANUFACTURER NAME: SKF, PART # 5206-ZZ-C3 DIAMETER, OD: 62 MM DIAMETER, BORE: 30 MM WIDTH/HEIGHT: 23.8 MM MAT, CAGE: STEEL ROWS: DOUBLE TYPE: BALL BEARING ANGULAR CONTACT SERIES: 5200 DESIGNATION: 5206-ZZ-C3 DESCRIPTION: Bearing, ball, angular contact, double row, medium series, radial clearance greater than normal with steel cage & both sided metallic sheilded. (non-metallic cage not acceptable) | Ea | 1 |
| 4 | BEARING 3307-ZZ-C3 MANUFACTURER NAME: SKF, PART # 3307-ZZ-C3 Item Specifications: BEARINGS,BALL,METRIC, | Ea | 2 |

| | | | |
|----|--|-------------|------------|
| | SERIES: 3300 | | |
| | WIDTH/HEIGHT: 34.93 MM | | |
| | DIAMETER, OD: 80 MM | | |
| | DIAMETER, BORE: 35 MM | | |
| | MAT, CAGE: STEEL | | |
| | TYPE: BALL BEARING ANGULAR CONTACT | | |
| | DESIGNATION: 3307-ZZ-C3 | | |
| | ROWS: DOUBLE | | |
| | DESCRIPTION: | | |
| | Bearing, ball, angular contact, double row, medium series, radial clearance greater than normal with steel cage & both sided metallic sheilded. (non-metallic cage not acceptable) | | |
| SI | Items Description | Unit | Qty |
| 1 | BEARING, BALL, RADIAL, SKF # 6204-ZZ | Ea | 300 |
| | Item Specifications: BEARING, BALL | | |
| | DESCRIPTION: | | |
| | BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, | | |
| | LIGHT SERIES, METRIC SIZES, WITH TWO SHIELDS, WITH STEEL CAGE. | | |
| | (non-metallic cage not acceptable) | | |
| | DIMENSIONS: ID 20 X OD 47 X WIDTH 14MM | | |
| 2 | BEARING, BALL, RADIAL, SKF # 6205-ZZ | Ea | 300 |
| | Item Specifications: BEARING, BALL | | |
| | DESCRIPTION: | | |
| | BEARING, BALL, RADIAL, SINGLE ROW, RIGID JOURNAL, CONRAD TYPE, | | |
| | LIGHT SERIES, METRIC SIZES, WITH TWO SHIELDS, WITH STEEL CAGE. | | |
| | (non-metallic cage not acceptable) | | |
| | DIMENSIONS: ID 25 X OD 52 X WIDTH 15MM | | |
| 3 | BALL BEARING SKF 6004 ZZ C3 | Ea | 4 |
| | DIMENSIONS: ID 00 X OD 00 X WIDTH 00MM | | |
| 4 | NEEDLE BEARING NA 3030 | Ea | 2 |
| | Item Specifications: BEARING, | | |
| | TYPE: Needle Bearing with Inner Ring | | |
| | SERIES: NA 3000 | | |
| | SIZE: ID=30mm, OD=62mm, WD=30mm | | |
| | DESCRIPTION: | | |
| | BEARING FOR BL-48/49/88/89-001/002--ME | | |
| | NEEDLE BEARING WITH INNER RING 3030 | | |
| | NA SERIES 3000 | | |

| |
|--|
| DIMENSIONS: ID 30 X OD 62 X WIDTH 30 MM |
| WEIGHT= 0.309 KG |
| NOTE: |
| 1) Supplier shall procure the bearing as per above specs |
| 2) Attached bearing specs for reference only |
| |